



FEM 1.001 - A4
EN 14439 - C25 - D25


Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Măstil/Reacciones – Tramo/Reacções

SF1100 FEM


○ Hg=Ht-1 m





3	ST058	1/1
2	BA058	2/1
1	B0058	2/2



Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre



SF1100	
H-CATR (m)	18.4
FEM (t)	26.4
n°	12xA




SF1100			
H-CAF (m)	12.3	23.9	29.7
FEM (t)	22	26.4	30.8
n°	10xA	12xA	14xA


Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Măstil/Reacciones – Tramo/Reacções

SH1210 FEM


○ Hg=Ht-1 m





4	B0120	2/2
3	B0060	2/2
2	ST030	2/2
1	ST060	2/2



Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre














SH1210	
H-CATR (m)	37.7
FEM (t)	54
n°	18xA



SH1210				
H-CAF32 (m)	18.7	30.7	36.7	42.7
FEM (t)	18	30	54	78
n°	6xB	10xB	18xB	26xB



















Curve di carico – Courbes de charges – Load diagrams – LastKurven – Curvas de cargas

Pmax 2400 kg






	7680 kg		40.0 m	2	18.5	22.6	28.5	34.3	40.0	m
				2400	2400	1920	1500	1200	1000	kg
	6600 kg		34.3 m	2	20.0	22.6	28.5	34.3	m	
				2400	2400	2180	1680	1350	kg	
	6030 kg		28.5 m	2		22.6	28.5	m		
				2400		2400	1900	kg		
	4950 kg		22.6 m	2		22.6	m			
				2400		2400	kg			
	4380 kg		17.3 m	2	17.3	m				
				2400	2400	kg				
	3300 kg		11.6 m	2	11.6	m				
				2400	2400	kg				




PESI E INGOMBRI – PACKING LIST – LISTE DE COLISAGE – GEWICHT UND ABMESSUNGEN



Denominazione Description	Disegno Draw	Pezzi Pieces	Dimensioni-Dimensions (mm)			Peso-Weight (kg)		
			L	W	H	Unit	Total	
Elemento di braccio Jib element Elément de èche Elemento de flecha	n°7 	1	5910	800	1500	900	—	
	n°6 	1	5910	760	1270	590	—	
	n°5 	1	5890	760	1260	460	—	
	n°4 	1	5870	760	1050	390	—	
	n°3 	1	5850	760	1040	285	—	
	n°2 	1	5830	760	1020	205	—	
	n°1 	1	5820	760	1020	180	—	
	Punta braccio 	1	410	760	690	45	—	
Contorbraccio completo Complete counterjib Contreflèche complète Contraflecha completa		1	9400	1650	1310	2250	—	
Gruppo girevole Slewing group Table tournante Grupo giratorio		SF1100	1	1600	1350	1830	2050	—
		SH1210	1	1600	1350	1830	2200	—
Elemento di torre Mast element Elément de mature Elemento de torre	ST028 	SF1100	—	2800	1100	1100	550	—
	ST030 	SH1210	—	3000	1210	1210	840	—
	ST058 	SF1100	—	5800	1100	1100	1010	—
	ST060 	SH1210	—	6000	1210	1210	1490	—
	ST116 	SF1100	—	11600	1100	1100	1900	—
	ST120 	SH1210	—	12000	1210	1210	3000	—
	BO028 	SF1100	—	2800	1100	1100	600	—
	BO030 	SH1210	—	3000	1210	1210	900	—
	BO058 	SF1100	—	5800	1100	1100	1260	—
	BO060 	SH1210	—	6000	1210	1210	2120	—
	BO116 	SF1100	—	11600	1100	1100	2370	—
	BO120	SH1210	—	12000	1210	1210	3500	—
	BA028	SF1100	—	2800	1100	1100	555	—
	BA030	SH1210	—	3000	1210	1210	870	—
	BA058	SF1100	—	5800	1100	1100	1020	—
	BA060	SH1210	—	—	—	—	—	—
	BA116	SF1100	—	11600	1100	1100	2030	—
	BA120	SH1210	—	—	—	—	—	—

PESI E INGOMBRI – PACKING LIST – LISTE DE COLISAGE – GEWICHT UND ABMESSUNGEN

Denominazione Description	Disegno Draw	Pezzi Pieces	Dimensioni-Dimensions (mm)			Peso-Weight (kg)		
			L	W	H	Unit	Total	
Carrello Trolley Chariot Carretilla		1	880	980	650	75	—	
Blocchi contrappeso Counterweight block Contre-poids Bloques de contrapeso	VX16 VS10 	VS10	1	850	420	1300	1080	1080
		VX16	4	850	420	2000	1650	6600
Carro di base Base carriage Chassis de base Cruceta de base		2.8x2.8	1	4100	520	660	1050	1050
		3.2x3.2	1	4670	520	660	1160	1160
		2.8x2.8	2	1900	340	660	480	960
		3.2x3.2	2	2180	340	660	550	1100
Elemento a perdere Disposable frame Chassis a perdre Bastidor desechable		SF1100	1	2315	1100	1100	410	—
		SH1210	1	1990	1210	1210	540	—
Elemento recuperabile Recoverable frame Chassis récupérable Bastidor recuperable		SF1100	1	440	1600	1600	630	—
		SH1210	1	440	1700	1700	660	—
Bogie di traslazione Driven bogie Boggie motorisée Balancin de traslaciòn		4	1160	700	600	700	2800	
Blocco zavorra di base Base ballast block Lest de base Brique de lastre		2.8x2.8	—	3200	1000	300	2200	—
		3.2x3.2	—	3600	1150	300	3000	—
Corsoio di montaggio Climbing cage Cage de montage Jaula de montaje		1	8300	1600	1500	3000	—	

Montaggio – Montage – Erection – Montage – Montaje – Montagem





SH1210	H (m)	A (m)
	30.0	Min 9
		Max 12


* SOPRALZO IDRAULICO – TELESCOPABLE – EXTERNAL CLIMBING – KLETTERKRANE

FEM

	SH1210	SF1100
MAX C	27 m	
B	17 m	
A	19 m	





Montaggio – Montage – Erection – Montage – Montaje – Montagem



	kg
SF1100	2050
SH1210	2200

Meccanismi – Mechanisms – Mécanismes – Antriebe – Mecanismos

Sollevamento M07.47 Hoisting Levage Heben Elevaciòn Elevação								M07.47
	m/min	3	16	36	40	47		7.5 kW
	t	2.4	2.4	1	0.8	0.4		18 kVA
								 110 m
Carrello Trolleying Distribution Katzfahren Distribuciòn Distribuição			0 → 70		m/min	1.1 kW	Potenza elettrica necessaria Puissance électrique nécessaire Necessary electric power Anschlusswert – Potencia	
Rotazione Slewing Orientation Schwenken Orientaciòn Rotação			0 → 0,7		giri/min tr/min rp/min	4 kW		
Traslazione Travelling Translation Kranfahren Traslaciòn Translação			0 → 18		m/min	3.7 kW		

Rete elettrica – Réseau – Mains supply – Netzstrom – Red – Rede electrica

400V – 50 Hz

480V – 60 Hz

FEM 1.001 – A4

EN 14439 – C25 – D25