




 Peso de la grúa sin lastre / Dead weight without ballast / Konstruktionsgewicht ohne ballast / Poids de construction sans lest / Peso della gru senza zavorra

 Peso de la grúa con tren de obra y sin lastre / Dead weight with job axle and without ballast / Konstruktionsgewicht & baustelle transportachse ohne ballast / Poids de construction avec essieux de chantier et sans lest / Peso della gru col assali da cantiere e senza zavorra

  Peso de la grúa con tren de transporte 80km/h y sin lastre / Dead weight with 80 km/h transport axle and without ballast / Konstruktionsgewicht & 80 km/h transportachse ohne ballast / Poids de construction avec essieux de transport 80 km/h et sans lest / Peso della gru col assali da trasporto 80 km/h e senza zavorra

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы

15Hp (11Kw) INV 400V 50-60Hz H.B.G. 49m Ø10mm									
	m/min	5,5	22	30	40	2,75	11	22	22
	Kg	2500	2500	1800	1250	5000	5000	2500	2500
	Kw	11				11			
	m/min	0				50			
	Kw					3			
	r.p.m	0				8			
	Kw					4			
	r.p.m	0				8			
	Kw					10			

-  Elevación / Hoisting / Heben / Levage / Sollevamento
-  Distribución / Trolleying / Katzfahren / Distribution / Distributions
-  Orientación / Slewing / Schwenken / Orientation / Rotazione
-  Montaje / Erection / Montage / Montage / Montaggio

 2000/14/CEE 2005/88/CEE	 CEI 38 IEC 38	400 V 50-60 Hz	40 kVA	4x10mm ²
---	---	-------------------	--------	---------------------

Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности

42 m 

22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	m	
2500	2500	2500	2408	2299	2199	2107	2021	1942	1868	1799	1735	1674	1618	1564	1514	1466	1421	1379	1338	1300	Kg	
22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	m	
2500	2500	2476	2358	2249	2149	2057	1971	1892	1818	1749	1685	1624	1568	1514	1464	1416	1371	1329	1288	1250	Kg	
13	14	16	18	20	22	24	26	28	30	32	33	34	35	36	37	38	39	40	41	42	m	
5000	4754	4037	3500	3083	2749	2476	2249	2057	1892	1749	1685	1624	1568	1514	1464	1416	1371	1329	1288	1250	Kg	

36 m 

16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	m	
2500	2356	2193	2049	1921	1807	1704	1611	1526	1449	1378	1313	1253	1197	1146	1098	1053	1011	972	935	900	Kg	

37 m 

22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	m	
2500	2500	2500	2463	2352	2250	2155	2068	1987	1912	1841	1776	1714	1656	1601	1550	Kg	
22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	m	
2500	2500	2500	2413	2302	2200	2105	2018	1937	1862	1791	1726	1664	1606	1551	1500	Kg	
13	14	16	18	20	22	24	26	28	30	32	33	34	35	36	37	m	
5000	4860	4128	3579	3153	2812	2534	2302	2105	1937	1791	1726	1664	1606	1551	1500	Kg	

32 m 

16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	m	
2500	2500	2375	2220	2083	1960	1849	1749	1659	1576	1500	1430	1365	1305	1250	1198	1150	Kg	


32 m 


22	23	24	25	26	27	28	29	30	31	32	m	
2500	2500	2500	2500	2500	2396	2300	2211	2128	2050	Kg		
22	23	24	25	26	27	28	29	30	31	32	m	
2500	2500	2500	2500	2500	2450	2346	2250	2161	2078	2000	Kg	
13	14	16	18	20	22	24	26	28	30	32	m	
5000	5000	4576	3971	3501	3126	2818	2563	2346	2161	2000	Kg	

28 m 

16	17	18	19	20	21	22	23	24	25	26	27	28	m	
2500	2500	2500	2500	2495	2350	2220	2102	1995	1898	1808	1726	1650	Kg	

Montaje - Erection - Montage - Montage - Montaggio





Specifiche suscettibili di variazioni senza preavviso.

Le indicazioni contenute si intendono salvo errori ed omissioni.